

IDENTIFICATION

1. NAME OF SINGLE-SERVICE FABRICATING PLANT			2. CITY			3. STATE/COUNTRY							
Wimpak Portion Packaging Inc.			Sank Village			IL USA							
4. STREET						5. MFG. CODE NO.			6. CODE				
1111 Wimpak Way									PRODUCT		MATERIAL		
7. AGENCY OR SSC, AS APPLICABLE, PROVIDING ROUTINE INSPECTION						56	57	58	59	60	61	62	
Illinois Dep. of Public Health										1		3	
7.a. RATING/CERTIFICATION PERSONNEL			7.b. DATE OF PLANT CERTIFICATION			7.d. EXPIRATION DATE *							
<input checked="" type="checkbox"/> SHD <input type="checkbox"/> Other <input type="checkbox"/> SDA <input type="checkbox"/> TPC <input type="checkbox"/> SDL <input type="checkbox"/> SSC			6-30-2023			MONTH		DAY		YEAR			
			67		68		69		70		71		72
			7.c. SANITATION COMPLIANCE RATING			06		29		20		24	

- | | |
|--|-------------------------------------|
| PRODUCT CODE (60) | MATERIAL CODE (62) |
| 1. Containers | 1. Metal |
| 2. Closures | 2. Paper (Includes laminates) |
| 3. Other products | 3. Plastic |
| 4. Containers and closures | 4. Metal and paper |
| 5. Containers and other products | 5. Metal and plastic |
| 6. Closures and other products | 6. Paper and plastic |
| 7. Containers, closures and other products | 7. Metal, paper and plastic |
| | 8. Glass |
| | 9. Rubber |
| | 10. Paper, metal, plastic and glass |
| | 11. Ceramic |

*EXPIRATION DATE		8. SRO OR SSC	
Certification of single-service manufacturing plants may be valid for a period not to exceed one (1) or two (2) years from the earliest certification date. The expiration date is one (1) or two (2) years from the earliest certification date. NOTE: Certifications conducted by SSCs shall only be valid for a period not to exceed one (1) year from the earliest certification date.		Guy Sprouts	
		9. CERTIFICATION RECOMMENDED	9.a. LISTING TYPE
		<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> FULL <input checked="" type="checkbox"/> PARTIAL

LABORATORY CONTROL

10. NAME AND ADDRESS (OR CODE) OF APPROVED LABORATORY	
Microbac 05-18-B-00137	

11. INSPECTION RESULTS (Place an "X" under items debited)																										
1	2	3	4	5	6	7	8	9	10	11	12	13 a,b,c, f,g,i,k	13 d,e, h,j	14	15	16 a	16 b,c	17 a,b d,e	17 c	18	19	20 a,b,f	20 c,d,e	21	BACTI	COLI
													X													

12. PERMISSION TO PUBLISH

Permission is hereby granted to release and publish the above stated certification for use by Regulatory/Rating Agencies and prospective purchasers.

It is understood and agreed by the undersigned that the official Rating Agency or SSC, as applicable, may review and appraise the single-service fabricating plant at any time during the period of time the above certification is in effect. It is further understood that failure to maintain the above certification will subject this plant to withdrawal from the IMS Listing. We will notify the Rating Agency or SSC, as applicable, of any significant changes made in the operation of this plant.

12.a. NAME OF PLANT		
Wimpak Portion Packaging, Inc.		
12.b. OFFICER AUTHORIZING RELEASE		12.c. TITLE
Ray Pluta		Quality Assurance Manager
13. SUBMISSION OF REPORT BY MILK SANITATION RATING AGENCY OR SSC, AS APPLICABLE		
13.a. DATE OF REPORT	13.b. RECOMMENDED CLASSIFICATION ACCEPTED	13.c. SUBMITTED BY (Signature and Title)
6-30-2023	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	State Rating Officer

FOR FDA USE ONLY	
14. DATE RECEIVED	15. PUBLICATION OF RATING RECOMMENDED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO (If "NO", indicate why.)
16. DATE TRANSMITTED	17. SIGNATURE (FDA Regional Milk Specialist)

**MANUFACTURING PLANT
INSPECTION REPORT**
(Single-Service Containers and/or Closures
for Milk and/or Milk Products)

*Illinois Dept. of
Public Health*

NAME AND LOCATION OF PLANT

*Winpak Partition Packaging, Inc
1111 Winpak Way
Sauk Village IL*

<p>1. FLOORS Smooth; impervious; in good repair (a) _____ Joints between walls and floors tight; impervious (b) _____ Floor drains properly trapped; sloped to drain (c) _____</p>	<p>10. LOCKERS AND LUNCHROOMS Separate from plant operation; self-closing doors (a) _____ Eating/storage of food prohibited in fabrication and storage areas (b) _____ Locker and lunchrooms clean (c) _____ Cleanable trash containers provided; properly labeled; covered (d) _____ Handwashing facilities convenient (e) _____ Employee handwashing signs posted (f) _____</p>	<p>Makeshift devices not used; fasteners, guides, hangers, supports and baffles properly constructed; good repair (b) _____ Take-off tables and other container contact surfaces properly constructed; clean; in good repair (c) _____ Grinders, shredders and similar equipment properly installed; protected from contamination (d) _____ Resin storage silos, other containers, constructed to protect resin from contamination; air vents filtered; air tubes good repair and properly protected (e) _____</p>
<p>2. WALLS AND CEILINGS In fabrication areas—smooth; cleanable; light-colored (a) _____ In fabrication and storage areas—good repair (b) _____ Openings in walls and ceilings effectively sealed (c) _____</p>	<p>11. DISPOSAL OF WASTES Stored in covered, impervious, leak-proof containers; does not apply to production scrap (a) _____ Waste containers properly identified (b) _____ Storage of garbage/rubbish meets requirements (c) _____</p>	<p>16. MATERIALS FOR CONSTRUCTION OF CONTAINERS AND/OR CLOSURES Materials from approved source (a) _____ Food-grade lubricants used on contact surfaces; stored to prevent cross contamination; storage clean and ventilated (b) _____ Containers, closures or materials on floor not used (c) _____</p>
<p>3. DOORS AND WINDOWS All outside openings protected against entrance of insects, rodents, dust, and airborne contamination (a) _____ Outer doors tight, self-closing (b) _____</p>	<p>12. PERSONNEL - PRACTICES Hands washed as required (a) _____ Clean outer garments; hair restraints (b) _____ No person affected by disease in a communicable form; while a carrier of such disease; or with inadequately protected wounds or lesions shall work in the fabrication areas (c) _____ Tobacco use in authorized areas only (d) _____ Insecured jewelry not permitted in fabrication areas (e) _____</p>	<p>17. WAXES, ADHESIVES, SEALANTS, COATINGS AND INKS Handled and stored to prevent cross contamination with non-food-grade materials; storage areas clean and ventilated (a) _____ Unused materials covered, labeled and properly stored (b) _____ Nontoxic; imparts no flavor or odor; non-contaminating; complies with 21 CFR Parts 174-178 (c) _____ Transfer containers clean; covered, properly identified (d) _____ Waxing, when used, performed as required; wax kept at proper temperature (e) _____</p>
<p>4. LIGHTING AND VENTILATION Adequate light in all rooms (a) _____ Ventilation sufficient (b) _____ Pressure ventilation systems properly filtered (c) _____</p>	<p>13. PROTECTION FROM CONTAMINATION Product contact surfaces protected; all materials in process properly protected (a) <input checked="" type="checkbox"/> _____ Air under pressure directed at materials or product contact surfaces in compliance (b) _____ Air directed at materials or product contact surfaces by fans or blowers in compliance (c) _____ Pesticides approved; EPA registered (d) _____ Pesticides used in accordance with directions; precludes contamination of containers/closures (e) _____ Single-service articles in process protected from contamination (f) _____ Equipment cleaned after use of non-food-grade materials (g) _____ Cross contamination with non-food-grade material prevented (h) _____ No overcrowding of equipment and operations (i) _____ Toxic chemicals separated from raw materials and finished products (j) _____ Food containers manufactured by facility not used for storage of miscellaneous items or chemicals (k) _____</p>	<p>18. HANDLING OF CONTAINERS, CLOSURES AND EQUIPMENT Handling of container and closure surfaces minimized (a) _____ Hands sanitized frequently or clean, single-use gloves worn; sanitizing dispensers convenient (b) _____</p>
<p>5. SEPARATE ROOMS Fabrication areas separate from non-fabrication areas when required (a) _____ Regrinding plastic and paper trim shredding, packaging and baling conducted in separate room(s) from fabrication areas or as Appendix J permits (b) _____</p>	<p>14. STORAGE OF MATERIALS AND FINISHED PRODUCT Away from any wall; soiled outer turns or edges discarded (a) _____ Stored in clean, dry place, protected from splash, insects, and dust (b) _____ Containers and closures stored in original cartons and sealed until used; partially used cartons resealed during storage (c) _____ Containers for storage of resin, raw and reuse materials are covered, clean, impervious and properly identified (d) _____ In-process storage bins that touch the product contact surface constructed of cleanable, nonabsorbent material; clean (e) _____</p>	<p>19. WRAPPING AND SHIPPING Single-service articles properly containerized prior to shipping (a) _____ Packaged contents protected from contamination (b) _____ Transportation vehicles clean; in good repair; not used for unapproved uses (c) _____ Paperboard containers, wrappers and dividers not reused (d) _____ Packaging materials in compliance (e) _____</p>
<p>6. TOILET FACILITIES-SEWAGE DISPOSAL Disposal of sewage; other waste; in public sewage system or in compliance with Local and State Regulations (a) _____ All plumbing complies with Local and State plumbing Regulations (b) _____ Solid, tight-fitting, self-closing doors (c) _____ Toilet rooms and fixtures clean; in good repair (d) _____ Adequate light and ventilation; ducts vented to the outside (e) _____ Proper handwashing facilities (f) _____ Open windows effectively screened (g) _____ Employee handwashing signs posted (h) _____ Eating/food storage prohibited (i) _____</p>	<p>15. FABRICATING EQUIPMENT Contact surfaces clean; milk plant equipment utilized for performing containers clean and sanitized prior to operation (a) _____</p>	<p>20. IDENTIFICATION AND RECORDS Plant identification on outer wrapping as required (a) _____ Glass containers properly labeled (b) _____ Required bacteriological tests on file; maintained as required; and in compliance (c) _____ Required bacteriological and chemical test records for all component parts used in final assembled product on file (d) _____ Information on file from suppliers of raw materials, waxes, adhesives, sealants, coatings and inks indicating compliance (e) _____ Information on file from suppliers of packaging materials indicating compliance (f) _____</p>
<p>7. WATER SUPPLY Safe; complies with bacteriological and construction requirements (a) _____ No direct or indirect connection between safe and unsafe water (b) _____ Sampled and examined as required (c) _____ Recirculated cooling water used in water baths complies with bacteriological standards, tested semi-annually (d) _____ Testing records maintained as required (e) _____</p>	<p>8. HANDWASHING FACILITIES Hot and cold and/or warm running water, soap, individual towels or air dryers convenient to fabrication areas; covered trash containers when required; hand sanitizers used as Appendix J permits (a) _____ Handwashing facilities clean (b) _____</p>	<p>21. SURROUNDINGS Surroundings neat and clean and free of breeding areas, conditions attracting or harboring flies, insects or rodents (a) _____ Driveways graded; no standing water (b) _____</p>
<p>8. HANDWASHING FACILITIES Hot and cold and/or warm running water, soap, individual towels or air dryers convenient to fabrication areas; covered trash containers when required; hand sanitizers used as Appendix J permits (a) _____ Handwashing facilities clean (b) _____</p>	<p>9. PLANT CLEANLINESS Floors, walls, ceilings, overhead beams, fixtures, pipes and ducts clean in rooms as required (a) _____ Plant free of evidence of insects, rodents and birds (b) _____ Machines and appurtenances clean (c) _____</p>	<p>21. SURROUNDINGS Surroundings neat and clean and free of breeding areas, conditions attracting or harboring flies, insects or rodents (a) _____ Driveways graded; no standing water (b) _____</p>

REMARKS (If additional space is required, please place information on the back of this Form or on a separate page.)

13a) Sheet material in process not properly shielded

DATE
June 30, 2023

SANITARIAN/SRO/SSC/RMS
[Signature] State Rating Officer

NOTE: This Form has been developed for use with Appendix of the Grade "A" Pasteurized Milk Ordinance.

